

## PLANTING NOTES:

---

1. NOTIFY 811 AT LEAST FORTY-EIGHT (48) HOURS, EXCLUDING THE DAY OF THE NOTIFICATION, BEFORE ANY GROUND DISTURBANCE HAS COMMENCED AND HAVE THE UNDERGROUND UTILITIES MARKED OUT. WAIT FOR THE AFFECTED UTILITY OPERATORS TO RESPOND, AND THEN CONFIRM THE UTILITIES HAVE BEEN ACCURATELY LOCATED. RESPECT THE IDENTIFIED LOCATIONS AND DIG ACCORDINGLY, TAKING PRECAUTIONS, ESPECIALLY WITHIN THE KNOWN TOLERANCE ZONE. IN THE EVENT MARK OUTS CANNOT BE MAINTAINED AND/OR GROUND DISTURBANCE CONTINUES LONGER THAN TEN (10) DAYS, NOTIFY 811 AND REQUEST A REMARK.
2. ALL PLANT MATERIAL FURNISHED IN ACCORDANCE WITH THIS PLAN SET SHALL MEET OR EXCEED THE MINIMUM STANDARDS WITHIN THE LATEST EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK. PLANT MATERIAL NOT IN COMPLIANCE WITH THE LATEST EDITION OF THE AMERICAN STANDARDS FOR NURSERY STOCK WILL NOT AND SHALL NOT BE ACCEPTED BY THE PROJECT OWNER AND/OR MUNICIPAL OFFICIAL.
3. ALL PLANT MATERIAL SHALL BE GUARANTEED UNDER A WARRANTY PERIOD FOR A MINIMUM OF TWO (2) YEARS FROM THE DATE OF FINAL ACCEPTANCE. ALL PLANT MATERIAL DEEMED UNSATISFACTORY MUST BE REPLACED IN THE SAME PLANTING SEASON DEEMED UNACCEPTABLE. PLANT MATERIAL SHALL BE REPLACED WITH NEW PLANTS, OF APPROXIMATE EQUAL SIZE AND NO SMALLER THAN ORIGINALLY SPECIFIED ON THE APPROVED PLAN SETS, AT THE NEXT APPROPRIATE PLANTING PERIOD.
4. CERTAIN SPECIES OF TREES HAVE A HIGH RISK OF FAILURE WHEN FIELD DUG AND PLANTED DURING THE FALL PLANTING SEASON. THE FOLLOWING SPECIES ARE KNOWN AS FALL PLANTING/DIG HAZARD:

<i>ACER RUBRUM</i>	<i>BETULA SP.</i>	<i>CARPINUS SP.</i>
<i>CELTIS SP.</i>	<i>CERCIS SP.</i>	<i>CERCIDUPHYLLUM</i>
<i>CORNUS SP.</i>	<i>FAGUS SP.</i>	<i>HALESIA SP.</i>
<i>LIQUIDAMBER STYRACIFLUA</i>	<i>LIRIODENDRON TULIPIFERA</i>	<i>MALUS SP.</i>
<i>MYSSA SYLVATICA</i>	<i>DISTRYA VIRGINIANA</i>	<i>PLATANUS SP.</i>
<i>PYRUS SP.</i>	<i>PYRUS SP.</i>	<i>QUERCUS SP.</i>
<i>TAXODIUM DISTICHUM</i>	<i>TILIA TOMENTOSA</i>	<i>ZELKOVA SERRATA</i>

THE NURSERY STOCK FOR THE AFOREMENTIONED SPECIES, IF INCLUDED AS PART OF THE APPROVED PLAN SET, SHALL BE SUPPLIED FROM THOSE DUG DURING THE PREVIOUS SPRING PLANTING SEASON AND HELD OVER THE SUMMER SEASON.
5. THE CONTRACTOR SHALL FIELD ADJUST THE LOCATIONS OF PLANT MATERIAL AS NECESSARY TO AVOID DAMAGE TO ALL EXISTING UNDERGROUND UTILITIES AND/OR EXISTING ABOVE GROUND ELEMENTS. ALL CHANGES REQUIRED SHALL BE COMPLETED AT THE CONTRACTOR'S EXPENSE AND SHALL BE COORDINATED WITH THE OWNER AND/OR MUNICIPAL OFFICIAL.
6. SPRING PLANTING SHOULD TAKE PLACE BETWEEN MARCH 15TH AND JUNE 15TH. FALL PLANTING SHOULD TAKE PLACE BETWEEN SEPTEMBER 1ST AND OCTOBER 30TH. AVOID PLANTING OUTSIDE THE AFOREMENTIONED DATES, ESPECIALLY IN THE HEAT OF SUMMER, UNLESS PROPER IRRIGATION AND MONITORING IS IMPLEMENTED TO ENSURE HEALTH AND VIGOR OF PLANT MATERIAL.
7. THE CROWN OF ROOT BALL SHALL BEAR A SIMILAR RELATIONSHIP, OR SLIGHTLY ABOVE, FINISHED GRADE AS IT BORE TO PREVIOUS GRADE. PLACE ON SUBSOIL PEDESTAL IN ACCORDANCE WITH THE PLANTING DETAILS.
8. REMOVED ANY DEAD OR BROKEN BRANCHES AND THIN AS NEEDED UP TO ONE-THIRD (1/3) OF EXISTING PLANT STRUCTURE, RETAINING ORIGINAL SHAPE.
9. NATURAL OR DYED BROWN SHREDDED BARK MULCH SHOULD BE APPLIED TO ALL PLANTING BEDS TO AN APPROXIMATE DEPTH OF THREE (3) INCHES. INDIVIDUAL TREES WITHIN LAWN AREAS SHOULD, ALTHOUGH NOT ALWAYS DEPICTED IN THE PLANS, HAVE A MINIMUM THREE (3) FOOT DIAMETER, PREFERABLE FIVE (5) FOOT DIAMETER MULCH RING CONSISTENT WITH A SPADE-DUG EDGE.
10. IRRIGATE PLANT MATERIALS DAILY FOR TWO (2) WEEKS WITH TWO (2) TO THREE (3) GALLONS OF WATER PER ONE (1) INCH OF TRUNK SIZE OR ONE (1) GALLON PER SHRUB/PERENNIAL. THEN IRRIGATE MINIMUM TWO (2) TIMES A WEEK UNTIL WELL ESTABLISHED. USE APPROPRIATE JUDGMENT DEPENDENT UPON PRECIPITATION RATES.
11. EACH PLANT SHALL BE FERTILIZED WITH A PREMIUM GENERAL-PURPOSE PHOSPHOROUS FREE ORGANIC FERTILIZER. APPLICATION RATE SHALL BE IN ACCORDANCE WITH MANUFACTURES RECOMMENDATIONS AND SHOULD BE APPLIED IN THE FOLLOWING SPRING PLANTING SEASON. PLANTS SHOULD NOT BE FERTILIZED IN THE SAME YEAR THEY ARE PLANTED IN ORDER TO ALLOW NEW ROOT GROWTH. AS OF JANUARY 1, 2012 THE NYSDEC RESTRICTS THE USE OF PHOSPHOROUS FERTILIZER ON LAWNS OR NON-AGRICULTURAL TURF. IT IS RECOMMENDED THAT A SOIL TEST BE CONDUCTED IN ORDER TO ENSURE THE USE OF AN APPROPRIATE FERTILIZER. ADDITIONALLY, NO FERTILIZER SHOULD BE APPLIED WITHIN TWENTY (20) FEET OF A WATER BODY OR ON PAVED SURFACES.
12. ALL PLANTINGS SHOWN ON THE APPROVED PLAN SET SHALL BE MAINTAINED IN A VIGOROUS GROWING CONDITION THROUGHOUT THE DURATION OF USE AND PLANTS NOT SO MAINTAINED ARE TO BE REPLACED WITH NEW PLANTS, OF APPROXIMATE EQUAL SIZE AND NO SMALLER THAN ORIGINALLY SPECIFIED ON THE APPROVED PLAN SETS, AT THE NEXT APPROPRIATE PLANTING PERIOD.